SAFETY DATA SHEET

1. Identification

Product identifier: ATI SPRAY ADHESIVE

- Other means of identification SDS number: RE1000036285
- Recommended restrictions Product use: Adhesive Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	AMERICAN TECHNOLOGIES, INC
Address:	3360 E. LA PALMA AVE
	ANAHEIM, CA 92806
Telephone:	800-400-9353
Fax:	

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol	Category 1
-------------------	------------

Health Hazards

Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1
Specific Target Organ Toxicity -	Category 3 ^{1.}
Single Exposure	

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic environment	Category 3
Chronic hazards to the aquatic environment	Category 3

Label Elements

Hazard Symbol:



Signal Word:

Danger

Hazard Statement:	Extremely flammable aerosol. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	20 - <50%
Propane	74-98-6	10 - <20%
Butane	106-97-8	10 - <20%
Acetic acid, methyl ester	79-20-9	10 - <20%
Naphtha (petroleum), hydrotreated light	64742-49-0	5 - <10%
Benzene, 1-chloro-4-(trifluoromethyl)-	98-56-6	1 - <5%
Heptane	142-82-5	1 - <5%
Maleic Anhydride Modified Liquid Polyisoprene	841251-34-1	1 - <5%
Cyclohexane, methyl-	108-87-2	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Inhalation: Move to fresh air. Skin Contact: If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.	
ts, acute and delayed	
No data available.	
No data available.	
attention and special treatment needed	
No data available.	
Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
uishing media	
Use fire-extinguishing media appropriate for surrounding materials.	
Do not use water jet as an extinguisher, as this will spread the fire.	
Vapors may travel considerable distance to a source of ignition and flash back.	
nd precautions for firefighters	
No data available.	
Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
es	
Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.	
Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.	
Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.	
Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.	

7. Handling and storage

Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 2

8. Exposure controls/personal protection

Control Parameters

Occu	pational	Exposure	Limits

Chemical Identity	Туре	Exposure Limit Values	Source
2-Propanone	STEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	PEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	250 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	TWA	750 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	500 ppm	US. ACGIH Threshold Limit Values, as amended (03 2015)
	REL	250 ppm 590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values, as amended (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Acetic acid, methyl ester	REL	200 ppm 610 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	STEL	250 ppm 760 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	200 ppm 610 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	STEL	250 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	200 ppm 610 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	250 ppm 760 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	200 ppm	US. ACGIH Threshold Limit Values, as amended (2008)
Heptane	TWA	400 ppm 1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	REL	85 ppm 350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	STEL	500 ppm 2,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	400 ppm	US. ACGIH Threshold Limit Values, as amended (02 2012)
	STEL	500 ppm	US. ACGIH Threshold Limit Values, as amended (02 2012)
	Ceil_Time	440 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
Naphtha (petroleum), hydrotreated light	REL	100 ppm 400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)

Version: 1.0 Revision Date: 07/13/2020

	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
Solvent naphtha (petroleum), light aliph.	TWA	100 ppm	400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
igin dipin	PEL	100 ppm	400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (03 2016)
	REL	100 ppm	400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2010)
Methanol	STEL	250 ppm	325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	TWA	200 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	STEL	250 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	STEL	250 ppm	325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	REL	200 ppm	260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	200 ppm	260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Hexane	TWA	50 ppm	180 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	PEL	500 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	REL	50 ppm	180 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
Cyclohexane	TWA	100 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	300 ppm	1,050 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as
	REL	300 ppm	1,050 mg/m3	amended (1989) US. NIOSH: Pocket Guide to Chemical Hazards, as
	PEL	300 ppm	1,050 mg/m3	amended (2005) US. OSHA Table Z-1 Limits for Air Contaminants (29
Benzene, methyl-	STEL	150 ppm	560 mg/m3	CFR 1910.1000), as amended (02 2006) US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	REL	100 ppm	375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as
	TWA	100 ppm	375 mg/m3	amended (2005) US. OSHA Table Z-1-A (29 CFR 1910.1000), as
	Ceiling	300 ppm		amended (1989) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	TWA	20 ppm		amended (02 2006) US. ACGIH Threshold Limit Values, as amended
	TWA	200 ppm		(2008) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	MAX. CONC	500 ppm		amended (02 2006) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	STEL	150 ppm	560 mg/m3	amended (02 2006) US. NIOSH: Pocket Guide to Chemical Hazards, as
Benzene	REL	0.1 ppm		amended (2005) US. NIOSH: Pocket Guide to Chemical Hazards, as
	TWA	1 ppm		amended (2005) US. OSHA Table Z-1-A (29 CFR 1910.1000), as
	Ceiling	25 ppm		amended (1989) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	TWA	0.5 ppm		amended (02 2006) US. ACGIH Threshold Limit Values, as amended
	STEL	2.5 ppm		(2008) US. ACGIH Threshold Limit Values, as amended
	STEL	5 ppm		(2008) US. OSHA Specifically Regulated Substances (29
	OSHA_ACT	0.5 ppm		CFR 1910.1001-1053), as amended (02 2006) US. OSHA Specifically Regulated Substances (29
	TWA	10 ppm		CFR 1910.1001-1053), as amended (02 2006) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	MAX. CONC	50 ppm		amended (02 2006) US. OSHA Table Z-2 (29 CFR 1910.1000), as
	STEL	50 ppm		amended (02 2006) US. OSHA Table Z-1-A (29 CFR 1910.1000), as
	STEL	o hhiu		amended (1989)

	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29
				CFR 1910.1001-1053), as amended (02 2006)
	STEL	1 ppm		US. NIOSH: Pocket Guide to Chemical Hazards, as
	55		0.45 / 0	amended (2005)
Benzene, (1-methylethyl)-	REL	50 ppm	245 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	TWA	50 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	PEL	50 ppm	245 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	50 ppm	245 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	1 ppm		US. ACGIH Notice of Intended Changes (NIC) to Threshold Limit Values, as amended (03 2018)
Benzene, ethyl-	STEL	125 ppm	545 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	REL	100 ppm	435 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	100 ppm	435 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	STEL	125 ppm	545 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	100 ppm	435 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended (12 2010)
Naphthalene	PEL	10 ppm	50 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	10 ppm	50 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	TWA	10 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	STEL	15 ppm	75 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	REL	10 ppm	50 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	STEL	15 ppm	75 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)
Hexane (2,5-Hexanedion, without hydrolysis: Sampling time: End of shift.)	0.5 mg/l (Urine)	ACGIH BEL (03 2018)
Benzene, methyl- (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL (03 2013)
Benzene, methyl- (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Benzene, methyl- (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL (03 2013)
Benzene (S-Phenylmercapturic acid: Sampling time: End of shift.)	25 µg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Benzene (t,t-Muconic acid: Sampling time: End of shift.)	500 µg/g (Creatinine in urine)	ACGIH BEL (03 2013)
Benzene, ethyl- (Sum of mandelic acid and phenylglyoxylic acid: Sampling time: End of shift.)	0.15 g/g (Creatinine in urine)	ACGIH BEL (02 2014)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

- General information: Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
- Eye/face protection: Wear safety glasses with side shields (or goggles).

	Version: 1.0 Revision Date: 07/13/2020
Skin Protection Hand Protection:	No data available.
Other:	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explo	osive limits
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	3,102 - 4,481 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	10 - 600 mm2/s

10. Stability and reactivity

Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	No data available.	
Conditions to avoid: SDS_US - RE1000036285	Avoid heat or contamination.	7/14

Incompatible Materials: No data available.

Hazardous Decomposition No data available. Products:

11. Toxicological information

Information on likely routes of ex Inhalation:	xposure No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Symptoms related to the physica Inhalation:	al, chemical and toxicological characteristics No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Information on toxicological effe	ects	
Acute toxicity (list all possible Oral	e routes of exposure	
Product:	Not classified for acute toxicity based on available data.	
Dermal Product:	ATEmix: 279,660.84 mg/kg	
Inhalation Product:	ATEmix: 302.65 mg/l ATEmix : 357.02 mg/l	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritation Product: No data available.		
Respiratory or Skin Sensitizatio Product:	n No data available.	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans: No carcinogenic components identified		
US. National Toxicology Program (NTP) Report on Carcinogens: No carcinogenic components identified		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		

Germ Cell Mutagenicity

In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Single ExposureProduct:No data available.		
Specific Target Organ Toxicity - Repeated Exposure Product: No data available.		
Target Organs Specific Target Organ Toxicity - Single Exposure: Narcotic effect.		
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment: Fish		
Product:	No data available.	
Aquatic Invertebrates Product:	No data available.	
Chronic hazards to the aquatic Fish	environment:	
Product:	NOEC : Estimated < 1 mg/l	
Aquatic Invertebrates Product:	No data available.	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability Biodegradation Product:	60 % (28 d) Readily biodegradable	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.		
Partition Coefficient n-octanol / water (log Kow) Product: No data available.		
Mobility in soil:	No data available.	

2-Propanone	No data available.
Propane	No data available.
Butane	No data available.
Acetic acid, methyl ester	No data available.
Naphtha (petroleum), hydrotreated light	No data available.
Benzene, 1-chloro-4-(trifluoromethyl)-	No data available.
Heptane	No data available.
Maleic Anhydride Modified Liquid Polyisoprene	No data available.
Cyclohexane, methyl-	No data available.

Other adverse effects:

Harmful to aquatic life with long lasting effects.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.

14. Transport information

_ . _

DO	т	
UN Number: UN Proper Shipping Name:		UN 1950 Aerosols, flammable
	Transport Hazard Class(es) Class: Label(s):	2.1
	Packing Group:	-
	Marine Pollutant:	No
	Environmental Hazards: Marine Pollutant	No No
	Special precautions for user:	Not regulated.
IME	DG	
	UN Number:	UN 1950
	UN Proper Shipping Name: Transport Hazard Class(es)	Aerosols, flammable
	Class:	2
	Label(s):	_
	EmS No.:	
	Packing Group:	-
	Environmental Hazards:	No
	Marine Pollutant	No
	Special precautions for user:	Not regulated.
ΙΑΤ	A	
	UN Number:	UN 1950
	Proper Shipping Name:	Aerosols, flammable
	Transport Hazard Class(es): Class:	2.1
	Label(s):	_
	Packing Group:	-
	Environmental Hazards:	No
	Marine Pollutant	No
		-
	Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity	OSHA hazard(s)
Benzene	Flammability
	Cancer
	Aspiration
	Eye
	Blood
	Skin
	respiratory tract irritation
	Central nervous system

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100
Acetic acid, methyl ester	lbs. 100
Methane, 1,1'-oxybis-	lbs. 100
Heptane	lbs. 100
Methanol	lbs. 5000
Hexane	lbs. 5000
Cyclohexane	lbs. 1000
Benzene, methyl-	lbs. 1000
Benzene	lbs. 10
Benzene, (1-methylethyl)-	lbs. 5000
Benzene, ethyl-	lbs. 1000
Naphthalene	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Serious Eye Damage/Eye Irritation Skin sensitizer Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

Chemical IdentityReportable quantityThreshold Planning Quantity2-PropanoneAcetic acid, methyl esterHexane

SARA 304 Emergency Release Notification antity

Chemical Identity	Reportable qua
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100
Acetic acid, methyl ester	lbs. 100
Methane, 1,1'-oxybis-	lbs. 100
Heptane	lbs. 100
Methanol	lbs. 5000
Hexane	lbs. 5000
Cyclohexane	lbs. 1000
Benzene, methyl-	lbs. 1000
Benzene	lbs. 10
Benzene, (1-methylethyl)-	lbs. 5000
Benzene, ethyl-	lbs. 1000
Naphthalene	lbs. 100

SARA 311/312 Hazardous Chemical Shamiaal Idan titu

SARA 311/312 Hazardous Chemical	
Chemical Identity	Threshold Planning Quantity
2-Propanone	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Acetic acid, methyl ester	10000 lbs
Heptane	10000 lbs
Benzene, 1-chloro-4-(trifluoromethyl)-	10000 lbs
Naphtha (petroleum), hydrotreated light	10000 lbs
Heptane, branched, cyclic and linear	10000 lbs
Solvent naphtha (petroleum), light aliph.	10000 lbs
Maleic Anhydride Modified Liquid Polyisoprene	10000 lbs
Methanol	10000 lbs
Hexane	10000 lbs
Cyclohexane	10000 lbs
Benzene, methyl-	10000 lbs
Benzene	10000 lbs
Benzene, (1-methylethyl)-	10000 lbs
Benzene, ethyl-	10000 lbs
Naphthalene	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) **US State Regulations**

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Benzene, 1-chloro-4-(trifluoromethyl)-	Carcinogenic.
Methanol	Developmental toxin. 03 2012
Hexane	Male reproductive toxin. 12 2017
Benzene, methyl-	Developmental toxin. 03 2008
Benzene	Developmental toxin. 03 2008
Benzene	Carcinogenic. 05 2011
Benzene	Male reproductive toxin. 03 2008
Benzene, (1-methylethyl)-	Carcinogenic. 05 2011
Benzene, ethyl-	Carcinogenic. 05 2011
Naphthalene	Carcinogenic. 05 2011

US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> 2-Propanone Propane Butane Acetic acid, methyl ester Methane, 1,1'-oxybis-Heptane Benzene, 1-chloro-4-(trifluoromethyl)-Naphtha (petroleum), hydrotreated light

Solvent naphtha (petroleum), light aliph.

US. Massachusetts RTK - Substance List

Chemical Identity Benzene

US. Pennsylvania RTK - Hazardous Substances Chemical Identity

2-Propanone Propane Butane Acetic acid, methyl ester Methane, 1,1'-oxybis-Heptane Naphtha (petroleum), hydrotreated light Solvent naphtha (petroleum), light aliph.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

2-Propanone Acetic acid, methyl ester

Stockholm convention

2-Propanone Acetic acid, methyl ester

Rotterdam convention

2-Propanone Acetic acid, methyl ester

Kyoto protocol

Inventory Status: Australia AICS:	Not in compliance with the inventory.
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	Not in compliance with the inventory.
Taiwan Chemical Substance Inventory:	Not in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date:	07/13/2020
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.